Printing date 03/07/2017

Reviewed on 04/20/2016

1 Identification

- · Product identifier Wax Coating
- · Trade name: Dinitrol 112
- · Application of the substance / the mixture Anticorrosion additive
- \cdot Details of the supplier of the safety data sheet

• *Manufacturer/Supplier:* DINOL GmbH Pyrmonter Strasse 76 D-32676 Luegde Tel : +49 (0) 5281 9829 80 Fax: +49 (0) 5281 9829 860 www.dinol.com

DINOL U.S. Inc. 8520 Cotter Street, Lewis Center USA-43035 Ohio Tel: 740-548-1656 Fax: 740-548-1657 e-mail: info@dinolus.com

· Information department: Product safety department.

• Emergency telephone number: 3E Company Emergency +1-866-404-4230

2 Hazard(s) identification

· Classification of the substance or mixture



Flammable liquid and vapor.

GHS07

May cause drowsiness or dizziness.

Harmful to aquatic life.

· Label elements

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning

· Hazard-determining components of labeling: Naphtha (petroleum), hydrotreated heavy · Hazard statements H226 Flammable liquid and vapor. H336 May cause drowsiness or dizziness. H402 Harmful to aquatic life. · Precautionary statements P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P243 Take precautionary measures against static discharge. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)

Printing date 03/07/2017

Reviewed on 04/20/2016

(Contd. of page 1)

Trade name: Dinitrol 112

• Classification system: • NFPA ratings (scale 0 - 4)



· Other hazards

The petroleum naphtha / petroleum distillate / lubricating oil meet the requirements for not being classified as carcinogenic (<0,1% benzene alt<3% (w/w) DMSO extract (IP 346)).

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with additions.

· Dangerous component	s:	
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	25-<50%
EC number: 919-857-5		
CAS: 25307-17-9	Bis(2-hydroxyethyl) oleylamine	<1%
EINECS: 246-807-3		
Additional information	For the wording of the listed hazard physics refer to section 16	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- · Description of first aid measures
- After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
 Special hazards arising from the substance or mixture No further relevant information available.
- Special nazards arising from the subs • Advice for firefighters
- **Protective equipment:** Mount respiratory protective device.
- Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions:
- Prevent seepage into sewage system, workpits and cellars.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Printing date 03/07/2017

Reviewed on 04/20/2016

Trade name: Dinitrol 112

		(Contd. of page
	erial for containment and cleaning up:	
	l-binding material (sand, diatomite, acid binders, universal binder	rs, sawdust).
Ensure adequate w		
· Reference to othe		
	information on safe handling.	
	information on personal protection equipment.	
	disposal information.	
· Protective Action	Criteria for Chemicals	
• PAC-1:		
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	350 mg/m3
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	140 mg/m3
CAS: 8020-83-5	Mineral oil	140 mg/m3
CAS: 111-76-2	2-butoxyethanol	60 ppm
· PAC-2:		
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	1,800 mg/m3
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	1,500 mg/m3
CAS: 8020-83-5	Mineral oil	1,500 mg/m3
CAS: 111-76-2	2-butoxyethanol	120 ppm
· PAC-3:		
CAS: 64742-48-9	Naphtha (petroleum), hydrotreated heavy	40,000 mg/m3
CAS: 64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	8,900 mg/m3
CAS: 8020-83-5	Mineral oil	8,900 mg/m3
CAS: 111-76-2	2-butoxyethanol	700 ppm

7 Handling and storage

· Handling:

- Precautions for safe handling Use only in well ventilated areas.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 03/07/2017

Reviewed on 04/20/2016

Trade name: Dinitrol 112

(Contd. of page 3)

· Breathing equipment:



· Protection of hands: Not required.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.12 \text{ mm}$

· Penetration time of glove material

> 480 min.

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties
General Information	
Appearance: Form:	Fluid
Color:	Light brown
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	130 °C
Flash point:	29 °C (DIN 53213)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	> 200 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
Lower:	0.6 Vol %
Upper:	7.0 Vol %
Vapor pressure at 20 °C:	3 hPa
Density at 20 °C:	0.875 g/cm ³ (DIN 51757)
Relative density	Not determined.
Vapor density	Not determined.

US

Printing date 03/07/2017

Reviewed on 04/20/2016

Trade name: Dinitrol 112

		(Contd. of page 4
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/we	uter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 °C:	120 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	39.9 %	
VOC content:	39.9 %	
Solids content:	60.0 % (DIN 53216)	
• Other information	No further relevant information available.	
· VOC (EU):	39.92 %	
\cdot VOC (EU):	349.3 g/l	
\cdot VOC (US):	349.3 g/l / 2.92 lb/gl	

10 Stability and reactivity

· **Reactivity** No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$

• Hazardous decomposition products: Carbon monoxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50	values tha	t are relevant for classification:
ATE (Acı	<i>ite Toxicit</i> y	v Estimates)
Dermal	LD50	33613 mg/kg (RAT)

Inhalative LC50/4 h 1	12565 mg/l (RAT)
-----------------------	------------------

CAS: 6474	CAS: 64742-48-9 Naphtha (petroleum), hydrotreated heavy		
Oral		>5000 mg/kg (RAT)	
Dermal	LD50	>5000 mg/kg (RABBIT)	
Inhalative	LC50/4 h	> 4951 mg/l (RAT)	
CAS: 2530	CAS: 25307-17-9 Bis(2-hydroxyethyl) oleylamine		
Oral	LD50	>300-2000 mg/kg (RAT)	
	LC50/96 h	>0.1-1 mg/l (Fish)	

• Primary irritant effect:

• on the skin: Prolonged or repeated contact with skin may cause slight irritation and/or reddening.

• on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information: No further relevant information available.

(Contd. on page 6)

US -

Printing date 03/07/2017

Reviewed on 04/20/2016

Trade name: Dinitrol 112

(Contd. of page 5)

3

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 111-76-2 2-butoxyethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity:

CAS: 25307-17-9 Bis(2-hydroxyethyl) oleylamine

EC50/48 h >0.01-1 *mg/l* (*DAPHNIA MAGNA*)

EC50/72 h >0.01-0.1 mg/l (SELENASTRUM CAPRICORNUTUM)

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:

• General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Dispose of as dangerous waste.

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

· UN-Number		
· DOT, ADR,RID,ADN, IMDG, IATA	UN1139	
· UN proper shipping name		
$\cdot DOT$	Coating solution	
· ADR/RID/ADN	1139 Coating solution, special provision 640E	
· IMDG, IATA	COATING SOLUTION	

Printing date 03/07/2017

Reviewed on 04/20/2016

Trade name: Dinitrol 112

	(Contd. of pag
Transport hazard class(es)	
DOT	
3	
Class Label	3 Flammable liquids 3
	3
ADR,RID,ADN, IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
· Packing group · DOT, ADR,RID,ADN, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
-	
Special precautions for user	Warning: Flammable liquids 30
Danger code (Kemler): EMS Number:	50 F-E,S-E
Stowage Category	A
Transport in bulk according to Annex I	Lof
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Overtite limitations	On passancer sineraft/rail, 60 I
Quantity limitations	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
ADR/RID/ADN Excepted quantities (EQ)	Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
` ~ ~	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1139 COATING SOLUTION, SPECIAL PROVISION 640
-	3, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

None of the ingredient is listed.

(Contd. on page 8)

US

Printing date 03/07/2017

Reviewed on 04/20/2016

Trade name: Dinitrol 112

	(Contd. o	of page
	pecific toxic chemical listings):	
2-butoxyethano	l	<1%
	ubstances Control Act): All ingredients are listed.	
Proposition 65		
· Chemicals knov	wn to cause cancer:	
None of the ingr	redients is listed.	
· Chemicals know	wn to cause reproductive toxicity for females:	
None of the ingr	redients is listed.	
· Chemicals know	wn to cause reproductive toxicity for males:	
None of the ingr	redients is listed.	
· Chemicals know	wn to cause developmental toxicity:	
	redients is listed.	
Canadian Listir	ng	
	All the ingredients are listed	
Cancerogenity	categories	
· EPA (Environn	nental Protection Agency)	
2-butoxyethanol	l NL	<19
· TLV (Threshold	d Limit Value established by ACGIH)	
2-butoxyethanol	• * *	8 <19
	ntional Institute for Occupational Safety and Health)	
	redients is listed.	
Hazard pictogro		
GHS02 GHS	507	
• Signal word Wa	arning	
Hazard-determi	ining components of labeling:	
	leum), hydrotreated heavy	
· Hazard stateme		
	le liquid and vapor.	
	e drowsiness or dizziness.	
H402 Harmful t		
• Precautionary s P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P243	Take precautionary measures against static discharge.	
	353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse sk water/shower.	kin wi
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405 P501	Store locked up. Dispose of contents/container in accordance with local/regional/national/interra- reculations	nation
1001	regulations.	
· National regula		

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

US

Printing date 03/07/2017

Trade name: Dinitrol 112

Reviewed on 04/20/2016

(Contd. of page 8)

· Department issuing SDS · Pr	-
Department issuing SDS. 1	oduct safety department.
	ol.com or Tel:0049 (0) 5281 982 980
· Date of preparation / last rev	
· Abbreviations and acronyms	
	port des marchandises dangereuses par Route (European Agreement concerning the Internatio
Carriage of Dangerous Goods by Ro	
IMDG: International Maritime Code DOT: US Department of Transporta	
IATA: International Air Transport A	
ACGIH: American Conference of Go	
	sting Commercial Chemical Substances
ELINCS: European List of Notified	
1 0 0	vision of the American Chemical Society)
NFPA: National Fire Protection Ass	
VOC: Volatile Organic Compounds	
LC50: Lethal concentration, 50 perc	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative ar	id Toxic
vPvB: very Persistent and very Bioa	ccumulative
NIOSH: National Institute for Occup	
OSHA: Occupational Safety & Healt	h
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Liq. 3: Flammable liquids – C	lategory 3
STOT SE 3: Specific target organ to.	xicity (single exposure) – Category 3
Aquatic Acute 3: Hazardous to the a	quatic environment - acute aquatic hazard – Category 3